

**VULCANIKA**


**PROVENZA**




# VULCANIKA RAKU



RAKU BIANCO



RAKU NERO



RAKU BLU



RAKU VERDE

PROVENZA





Verde Raku Rett. 30x60 - 11<sup>13/16</sup>x23<sup>5/8</sup>"  
Verde Raku Rett. Kaptur 30x60 - 11<sup>13/16</sup>x23<sup>5/8</sup>"





Blu Raku Rett. Karato 30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
Blu Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"




Blu Raku Rett. Karato 30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"





Bianco Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Blu Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Nero Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Verde Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"



Bianco Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Blu Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Nero Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
Verde Raku Link 19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"



# VULCANIKA RAKU

60x60  
23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>"

30x60  
11<sup>13</sup>/<sub>16</sub>"x23<sup>5</sup>/<sub>8</sub>"






10x60  
3<sup>15</sup>/<sub>16</sub>"x23<sup>5</sup>/<sub>8</sub>"

7,5x30  
2<sup>15</sup>/<sub>16</sub>"x11<sup>13</sup>/<sub>16</sub>"

KAPTURE

KARATO

LINK



BIANCO

NERO

BLU

VERDE




# VULCANIKA RAKU

## COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

Raku Bianco



Raku Nero



Raku Blu



Raku Verde



## COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

RAKU  9,5 mm.



**Rett.**

60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"

EFQK Bianco

● T20

EFQQ Nero

● T20

EFQP Blu

● T20

EFQN Verde

● T20



**Rett.**

30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"

EFQR Bianco

● T17

EFQW Nero


● T17

EFQV Blu

● T17

EFQU Verde

● T17



**Rett.**

10x60 - 3<sup>15/16</sup>"x23<sup>5/8</sup>"

EF5V Bianco

● T42

EF6J Nero

● T42

EF69 Blu

● T42

EF68 Verde

● T42



**Rett.**

7,5x30 - 2<sup>15/16</sup>"x11<sup>13/16</sup>"

EF6L Bianco

● T67

EF7S Nero

● T67

EF7M Blu

● T67

EF6Z Verde

● T67

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.  
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.  
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.  
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.


# VULCANIKA RAKU

## DECORI

Decors | Decors | Dekore | Decorados | Декоры

### RAKU MOSAICO 3X3\*


Tessera - Chip 2,8x2,8 - 1<sup>1/8</sup>"x1<sup>1/8</sup>"




30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EFW5 Bianco ● A96



30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EFWA Nero ● A96




30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EFW9 Blu ● A96




30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EFW8 Verde ● A96


### RAKU KARATO




30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EF7U Bianco Rett. ● T75



30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EF7Z Nero Rett. ● T75



30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EF7Y Blu Rett. ● T75




30x30 - 11<sup>13/16</sup>"x11<sup>13/16</sup>"  
EF7X Verde Rett. ● T75

### RAKU KAPTUR



30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"  
EFQX Bianco Rett. ● T20



30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"  
EFQ2 Nero Rett. ● T20



30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"  
EFQ1 Blu Rett. ● T20




30x60 - 11<sup>13/16</sup>"x23<sup>5/8</sup>"  
EFQ0 Verde Rett. ● T20

\* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

## DECORI

Decors | Decors | Dekore | Decorados | Декоры

### RAKU LINK\*



19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
EF7T Bianco ● A112



19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
EFW4 Nero ● A112



19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
EFW3 Blu ● A112




19,6x34,2 - 7<sup>11/16</sup>"x13<sup>7/16</sup>"  
EFW2 Verde ● A112

\* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

### RAKU PEZZI SPECIALI

Trims | Piezas Especiales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size	 Raku Bianco	 Raku Nero	 Raku Blu	 Raku Verde	Fascia di prezzo Price band
 Battiscopa - Skirting	<b>Ret.</b> 7x60 - 2 <sup>3/4</sup> "x23 <sup>5/8</sup> " Pcs. Box. 15 - LM x Box 9,00	EFX8	EFXE	EFXD	EFXC	● A11
 Gradone - Step	<b>Ret.</b> 33x60x3,2x3,2 12 <sup>15/16</sup> "x23 <sup>5/8</sup> "x1 <sup>1/4</sup> "x1 <sup>1/4</sup> " Pcs. Box. 4 - LM x Box 2,40	EFXF	EFXL	EFXK	EFXJ	● A68
 Angolare - Corner Tile	<b>Ret.</b> 33x33x3,2x3,2 12 <sup>15/16</sup> "x12 <sup>15/16</sup> "x1 <sup>1/4</sup> "x1 <sup>1/4</sup> " Pcs. Box. 2 - LM x Box 0,66	EFXM	EFXS	EFXR	EFXQ	● A72



# VULCANIKA RAKU

Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bla GL



CARATTERISTICHE TECNICHE Technical Features - Características Técnicas - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние
<b>ASSORBIMENTO D'ACQUA (VALORE MEDIO IN %)</b> Water absorption (Average value expressed in %) - Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) Поглощение воды	UNI EN ISO 10545/3 ASTM C373	CONFORME COMPLIANT
<b>RESISTENZA ALLA FLESSIONE</b> Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	SPESSORE UNI EN ISO 10545/4	<b>9,5 mm</b> ≥ 45 N/mm <sup>2</sup>
<b>FORZA DI ROTTURA</b> Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4 ASTM C648	≥ 2000 N 400 Lbs
<b>RESISTENZA AL GELO</b> Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12 ASTM C1026	CONFORME UNAFFECTED
<b>RESISTENZA CHIMICA</b> <b>AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI</b> Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13 ASTM C-650	A - LA - HA UNAFFECTED
<b>RESISTENZA ALLE MACCHIE</b> Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5
<b>COEFFICIENTE DI ATTRITO</b> Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения	DIN EN 16165 Annex B DIN EN 16165 Annex A ANSI A326.3:2017 DCOF B.C.R.A. D.M. N. 236 14/6/89 AS 4586-2013 Anexo A BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers UNE 41901:2017 EX DB SUA (actual)	R9 - WET ≥ 0,42 - - -

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue général en vigueur. - Für weitere Informationen über technische Daten und Garantiebeziehungen siehe bitte auf den aktuellen Gesamtkatalog. - Para posteriores informaciones sobre los datos técnicos y la garantía, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.




PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL GREENGUARD GOLD



放射能水平A类



15% 9,5 mm  
valori medi - average values



# VULCANIKA RAKU

## IMBALLI E PESI

Packing and Weight | Emballages et Poids | Verpackung und Gewicht | Embalajes y Pesos | Упаковка и Вес

Formato Size Format Format Tamaño Формат cm	Spessore Thickness Epaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M <sup>2</sup> Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M <sup>2</sup> / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M <sup>2</sup> / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд. Kg
60x60	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60	9,5	5,56	6	1,080	23,76	48	51,84	1140
10x60	9,5	16,67	12	0,720	15,84	60	43,20	950
7,5x30	9,5	44,44	36	0,810	17,82	56	45,36	998
30x60 Kaptur	11	5,56	5	0,900	19,80	48	43,20	950
30x30 Karato	9,5	11,11	12	1,080	23,76	40	43,20	950
30x30 Mosaico 3X3	9,5	11,11	5	0,450	8,73	60	27,00	524
19,6x34,2 Link	9,5	14,92	5	0,335	7,37	60	20,10	442

## PROVENZA





# VULCANIKA RAKU

I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi.

Le misure dei prodotti qui indicate si intendono nominali e come i pesi ed i colori subiscono le variazioni tipiche del processo ceramico.

Provenza si riserva la facoltà di modificare in qualunque momento senza preavviso le caratteristiche tecniche, estetiche e i materiali presentati.

Tali caratteristiche non sono comunque vincolanti nei termini legali.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.

Product sizes indicated are nominal and like weights and colours undergo the typical variations of the ceramic process.

Provenza reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.





<b>Provenza is a brand of Emilceramica S.r.l. a socio unico</b>	<b>Sede Commerciale/ Amministrativa</b>
<a href="http://emilgroup.it/provenza">emilgroup.it/provenza</a> <a href="http://emilgroup.it">emilgroup.it</a>	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) Italy T +39 0536 835111 - <a href="mailto:info@emilceramicagroup.it">info@emilceramicagroup.it</a>