

## **DECLARATION OF PERFORMANCE**

**N°: DoP-F**

**Rev. 4 - 10/10/2018**

1. Unique identification code of the product type:  
**DRY- PRESSED CERAMIC TILES, WITH WATER ABSORPTION  $E_b \leq 0,5\%$**
2. Intended uses:  
**FOR INTERNAL AND EXTERNAL WALLS AND FLOORINGS**
3. Name and contact address of the manufacturer:  
**EMILCERAMICA S.r.l. a socio unico**  
**Via GHIAROLA NUOVA, 29 41042 FIORANO M.SE (MO) ITALY**  
**Tel. : +39 0536 835111 Fax : +39 0536 835306**  
[contact@emilceramicagroup.it](mailto:contact@emilceramicagroup.it)    [www.emilgroup.it](http://www.emilgroup.it)
4. System of AVCP: **SYSTEM 4**
5. Name and identification number of notified laboratory: **NOT APPLICABLE**
6. Declared Performances:


ESSENTIAL CHARACTERISTICS	PERFORMANCE		HARMONISED TECHNICAL SPECIFICATION
<b>Reaction to fire</b>	Class A1 <sub>n</sub> /A1		EN 14411:2012
<b>Release for dangerous substances, for:</b>	Cadmium	NPD	
	Lead	NPD	
<b>Breaking strength</b>	Thickness ≥ 7,5 mm	≥ 1300 N	
	Thickness < 7,5 mm	≥ 700 N	
<b>Slipperiness</b>	See Annex 1/.....		
<b>Tactility</b>	NPD		
<b>Bond strength/adhesion</b>	NPD		
<b>Thermal Shock Resistance</b>	Pass		
<b>Durability for:</b>			
Internal Uses:	Pass		
External Uses: freeze-thaw resistance	Pass		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Fiorano M.se (MO)  
10/10/2018

Sergio Sassi  
CEO Emilceramica S.r.l.



## SLIPPERINNES: ANNEX 1 / VIVA

Rev. 6 – 10/2018

TEST METHOD USED		DIN 51130 (DE)	BCRA D.M. 236/1989 (ITA)	UNE ENV 12633 Documento Basico SUA (ESP)	CEN/TS 16165 Annex B
		Ramp	Tortus	Pendulum	Ramp (Critical angle $\alpha_{shod}$ )
Series	Surface	Value / class			
NR.21	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
	Antislip	R11	$\geq 0,40$	NPD	$\geq 19$
STATALE 9	Legno	R11	$\geq 0,40$	1	$\geq 19$
	Cemento	R11	$\geq 0,40$	1	$\geq 19$
AURA	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
	Antislip	R11	$\geq 0,40$	NPD	$\geq 19$
KRETA	Naturale	R9	$\geq 0,40$	NPD	$\geq 6$
XILO COLLECTION	Naturale	NPD	$\geq 0,40$	NPD	NPD
ACUSTICO 12	Naturale	R10	$\geq 0,40$	2	$\geq 10$
	Antislip	R11	$\geq 0,40$	3	$\geq 19$
	Naturale 20mm	R11	$\geq 0,40$	NPD	$\geq 19$
99 VOLTE	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
	Antislip	R11	$\geq 0,40$	NPD	$\geq 19$
TERZO TEMPO	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
	Antislip	R11	$\geq 0,40$	NPD	$\geq 19$
"+3"	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
	Antislip	R11	$\geq 0,40$	NPD	$\geq 19$
	Naturale 20mm	R11	$\geq 0,40$	NPD	$\geq 19$
300°	Naturale	R10	$\geq 0,40$	NPD	$\geq 10$
L'H	Naturale	R9	$\geq 0,40$	NPD	$\geq 6$
NO CODE	Naturale	R9	$\geq 0,40$	NPD	$\geq 6$
	Naturale 20mm	R11	$\geq 0,40$	3	$\geq 19$
DOTCOM	Naturale	R10	$\geq 0,40$	2	$\geq 10$
	Polished	NPD	NPD	NPD	NPD
	Tecnica	R11	$\geq 0,40$	3	$\geq 19$
YAKI	Naturale	R9	$\geq 0,40$	NPD	$\geq 6$